

**COT 6401 The Analysis of Algorithms**  
Test (March 11, 2009)  
Due: **midnight of March 12, 2009**

Name \_\_\_\_\_ SSN \_\_\_\_\_

1. (20%) (**Greedy**) A telecom company needs to install base stations to cover all houses along a long road. These houses can be sparsely distributed along the road. Suppose the coverage is 5 miles per station. Design an *optimal solution* that covers all houses using as few base stations as possible. Prove that your algorithm is optimal.
2. (20%) (**Linear programming**) Solve the following linear program using SIMPLEX and show all the relevant steps:

**maximize**  $x_1 + 2x_2$

**subject to**

$$4x_1 - x_2 \leq 9$$

$$x_1 + x_2 \leq 8$$

$$5x_1 - 2x_2 \geq -3$$

$$x_1, x_2 \geq 0$$

Provide a geometric explanation of the solution by plotting the corresponding *feasible region* in a 2-D space.

3. (20%) (**Divide-and-conquer**) Suppose the only way to access a database of student GPA is through a simple query  $k$  and that the system returns the  $k^{\text{th}}$  smallest value that it contains. Design an algorithm that finds the *median GPA* from two separate databases  $A$  (with  $m$  values) and  $B$  (with  $n$  values) using at most  $\Theta(\log(m+n))$  queries. Show explicitly how your solution meets the requirement. Note that the median GPA is the  $\lceil (m+n)/2 \rceil^{\text{th}}$  smallest value in  $A$  and  $B$ .
4. (20%) (**Brute-force**) Let  $G = (V, E)$  be a  $k$ -nary tree with  $n$  nodes. The distance between two nodes in  $G$  is the length of the path connecting these two nodes (neighbors have distance 1). The *diameter* of  $G$  is the maximal distance over all pairs of nodes. Design a *linear-time solution* (i.e.  $\Theta(n)$ ) to find the diameter of  $G$ .
5. (20%) (**Dynamic programming**) Design an *optimal solution* using dynamic programming for the *general coin changing problem*. Let a coin of denomination  $i$ ,  $1 \leq i \leq n$ , have value  $d_i$ . Use the example with three coins with values 1, 4, and 6 units to illustrate the correctness of your solution by showing optimal results for changes from 1 to 10.
6. (**Bonus: 20%**) Quicksort can be modified to find the  $k^{\text{th}}$  *smallest element* from  $n$  elements so that in most cases it does much less work than is needed to sort the set completely.
  - (a) Write a modified quicksort algorithm for this purpose.
  - (b) Show that when this algorithm is used to find the median, the worst case is  $\Theta(n^2)$ .
  - (c) Develop a recurrence equation for the average running time of this algorithm.
  - (d) Analyze the average running time of the algorithm. What is the asymptotic order?