

1. (a) Let a directed graph G_1 be given.




Does each of the following list of vertices form a path in G_1 ? If yes, determine (by circling) if the path is simple, if it is a circuit, and give its length.

a, b, e, c, b	Yes [simple circuit	length] No
a, d, a, d, a	Yes [simple circuit	length] No
a, d, e, b, a	Yes [simple circuit	length] No
a, b, e, c, b, a	Yes [simple circuit	length] No

(b) For the simple graph G_2



Find M^2 , where M is the adjacency matrix of G_2




Find the number of paths from A to D in G_2 of length 2.

2. Use structural induction to show that l(T) = i(T) + 1 for a full binary tree T, where l(T) is the number of leaves of T and i(T) is the number of internal vertices of T.

Note: The root r is a leaf of the full binary tree with exactly one vertex r. This tree has no internal vertices. If a full binary tree has more than one vertex, then its root belongs to its internal vertices.

•

3. Determine whether the given pair of graphs is isomorphic. Exhibit an isomorphism or provide a rigorous argument that none exists.




4. Prove that that $n^2 < n!$. Clearly state the basis step and inductive hypothesis.

5. Prove that for all positive integers n the following formula holds


$$\frac{1}{2} + \frac{1}{2^2} + \dots + \frac{1}{2^n} = \frac{2^n - 1}{2^n}$$

6. Let $f(n) = 2n^2 + 5n\log(n) + 8n + 7$. Show that f(n) is $O(n^2)$. Be sure to specify the values of the witnesses *C* and *k*.

7. Use Dijkstra's algorithm to find the length of the shortest path between the vertices a and z in the following weighted graph.



Draw a tree representing the shortest distances from *a* to each of the other vertices. Indicate the distance next to each vertex.



8. How many vertices and how many edges does each of the following graphs have? (a) K_5

(b) C₄

(c) W₅

(d) K_{2,5}

9. Give a recursive algorithm for finding the string w^i , the concatenation of *i* copies of *w*, when *w* is a bit string.

10. Describe an algorithm for finding the second largest integer in a sequence of distinct integers. Give a big-O estimate of the number of comparisons used by your algorithm.

11. Give a recursive definition of

- a) the set of odd positive integers.
- b) the set of positive integer powers of 3.

c) the set of polynomials with integer coefficients.

12. Let *S* be the subset of the set of ordered pairs of integers defined recursively by *Basis step:* $(0, 0) \in S$.

Recursive step: If $(a, b) \in S$, then $(a + 2, b + 3) \in S$ and $(a + 3, b + 2) \in S$.

a) List the elements of S produced by the first two applications of the recursive definition.

b) Use structural induction to show that 5 | a + b when $(a, b) \in S$.

13. Write a pseudocode for an algorithm for evaluating a polynomial of degree *n*, $p(x) = a_n x^n + a_{n-1} x^{n-1} + \ldots + a_1 x + a_0$, at x = c. What is big-O estimate of the time complexity of your algorithm (in terms of the number of multiplications and additions used) as a function of n? Explain your answer.

14. Show that $\log(n!)$ is $\Theta(n \cdot \log(n))$.