



1. Determine whether the given pair of graphs is isomorphic. Exhibit an isomorphism or provide a rigorous argument that none exists.



2. Prove by induction that $n^2 - 7n + 12$ is nonnegative whenever n is an integer with $n \geq 3$.

3. (a) How many vertices and how many edges are in K_n for $n > 2$?
- (b) For which n does K_n (for $n > 2$) have an Euler circuit? Justify your answer.
- (c) For which n does K_n (for $n > 2$) have a Hamilton circuit? Justify your answer.
- (d) How many vertices and how many edges are in complete bipartite graph $K_{m,n}$ for $m, n > 1$?
- (e) For which n does complete bipartite graph $K_{m,n}$ (for $m, n > 1$) have an Euler circuit? Justify your answer.
- (f) For which n does complete bipartite graph $K_{m,n}$ (for $m, n > 1$) have a Hamilton circuit? Justify your answer.

4. For the web graph shown below write the link matrix A that expresses the system of PageRank linear equations in the form $A\mathbf{x} = \mathbf{x}$, where $\mathbf{x} = [x_1 \ x_2 \ x_3 \ x_4 \ x_5]^T$. Is the matrix $\mathbf{M} = (1 - m)\mathbf{A} + m\mathbf{S}$ for $m=0.25$ column-stochastic? Justify your answer.



5. Use the method of Gaussian elimination to find \mathbf{x} for the system of linear equations $\mathbf{Ax}=\mathbf{b}$, where \mathbf{A} and \mathbf{b} are given below. Show your work.

$$A = \begin{bmatrix} 2 & 4 & 6 \\ 1 & 3 & 5 \\ 2 & 6 & 11 \end{bmatrix}, b = \begin{bmatrix} 10 \\ 4 \\ 6 \end{bmatrix}$$

6. Use method of Gaussian elimination to find the determinant of matrix **B** given below. Show your work.

$$\begin{bmatrix} 0 & 1 & 2 \\ -1 & 1 & 3 \\ 2 & -2 & 0 \end{bmatrix}$$

7. Find the eigenvalues and the eigenvectors of these two matrices. Show your work.

$$A = \begin{bmatrix} 1 & 4 \\ 2 & 3 \end{bmatrix} \quad \text{and} \quad A + I = \begin{bmatrix} 2 & 4 \\ 2 & 4 \end{bmatrix}$$

8. Find the eigenvalues and the eigenvectors of matrix A. Show your work.

$$A = \begin{bmatrix} 1 & 0 & 0 \\ 1 & 2 & 0 \\ 2 & 3 & 3 \end{bmatrix}.$$

9. Find the matrix A that performs those transformations, in order, on the Cartesian plane. To which point is the point $(-4, 1)$ mapped by this transformation?
- (a) horizontal stretch by a factor of 2
 - (b) reflection across the y -axis.

10. Find the standard matrix \mathbf{A} for the given linear transformation T .

$$T\left(\begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix}\right) = \begin{bmatrix} x_1 + 2x_2 - 3x_3 \\ 0 \\ x_1 + 4x_3 \\ 5x_2 + x_3 \end{bmatrix}$$

11. Provide a pseudo-code of an algorithm for finding the second largest number in a sequence of n distinct integers ($n > 1$) distinct integers. What is its worst-case time complexity in terms of the number of comparisons? Justify your answer.

12. Let $f(n) = 2n\log(n^2+3) + 7n + 5$. What is the big-O estimate of $f(n)$? Be sure to specify the values of witnesses C and k .