

Dominating Sets and Topology Control

- [1] Energy-efficient coverage problems in wireless ad-hoc sensor networks
- [2] Connected sensor cover: Self- organization of sensor networks for efficient query execution
- [3] Connected k-coverage problem in sensor networks
- [4] Connected Dominating Set in Sensor Networks and MANETs
- [5] Variable Radii Connected Sensor Cover in Sensor Networks
- [6] Disjoint Connected Dominating Sets in Pseudorandom Graphs
- [7] Approximation Algorithms for Sensor Deployment
- [8] A Neural Network Model to Minimize the Connected Dominating Set for Self-Configuration of Wireless Sensor Networks
- [9] Application of Dominating Sets in Wireless Sensor Networks
- [10] Efficient Local Search Based on Dynamic Connectivity Maintenance for Minimum Connected Dominating Set
- [11] Energy-Aware Backbone Formation in Military Multilayer Ad Hoc Networks
- [12] Fault Tolerant Connected Sensor Cover with Variable Sensing and Transmission Ranges
- [13] Restricted Swap-Based Neighborhood Search for the Minimum Connected Dominating Set Problem
- [14] A Fast Vertex Weighting-Based Local Search for Finding Minimum Connected Dominating Sets
- [15] A Restart Local Search Algorithm with Tabu Method for the Minimum Weighted Connected Dominating Set Problem
- [16] Bounded-Distance Multi- Clusterhead Formation in Wireless Ad Hoc Networks
- [17] An Approximation Algorithm for Connected Dominating Set in Ad Hoc Networks
- [18] Backbones for Internet of Battlefield Things
- [19] Smaller Connected Dominating Sets in Ad Hoc and Sensor Networks Based on Coverage by Two-Hop Neighbors
- [20] Energy and Delay Efficient Dynamic Cluster Formation Using Improved Ant Colony Optimization Algorithm in EAACK MANETs

- [21] Improving Route Discovery in On-Demand Routing Protocols Using Two-Hop Connected Dominating Sets
- [22] Enhanced Dominant Pruning- Based Broadcasting in Untrusted Ad-Hoc Wireless Networks
- [23] Localized Topology Control for Unicast and Broadcast in Wireless Ad Hoc Networks
- [24] Enhancing Broadcast Operations in Ad Hoc Networks with Two-Hop Connected Dominating Sets
- [25] Localized Probabilistic and Dominating Set Based Algorithm for Efficient Information Dissemination in Ad Hoc Networks
- [26] A Distributed Strict Strong Coloring Algorithm for Broadcast Applications in Ad Hoc Networks
- [27] A Location-Independent Connected Coverage Protocol for Wireless Sensor Networks
- [28] A Hybrid Algorithm for Sensing Coverage Problem in Wireless Sensor Networks
- [29] Improving Broadcast Operations in Ad Hoc Networks Using Two-Hop Connected Dominating Sets
- [30] Bounded-Distance Multi- Coverage Backbones in Wireless Sensor Networks
- [31] Construction k-Dominating Set with Multiple Relaying Technique in Wireless Mobile Ad Hoc Networks
- [32] Performance of Dominating Sets in AODV Routing Protocol for MANETs
- [33] Hierarchical Routing in Sensor Networks Using k-Dominating Sets
- [34] Hierarchical Routing in Ad Hoc Networks Using k-Dominating Sets
- [35] An Energy Efficient Connected Coverage Protocol in Wireless Sensor Networks
- [36] A distributed algorithm for computing Connected Dominating Set in ad hoc networks
- [37] Connected Dominating Set in Wireless Sensor Network
- [38] Performance of dominating and adaptive partial dominating sets in AODV routing protocol for MANETs
- [39] Using Dominating Sets with 2- Hop Neighborhood Information to Improve the Ad-Hoc On- Demand Distance Vector Routing
- [40] A passive tree-based backbone construction scheme for MANETs

- [41] Backbones for military multilayer wireless ad hoc networks based on networks science concepts
- [42] Using dominating sets to improve the performance of mobile ad hoc networks
- [43] A Location-Unaware Connected Coverage Protocol in Wireless Sensor Networks
- [44] Virtual Backbone Formation in Wireless Ad Hoc Networks
- [45] Construction and Maintenance of Connected Dominating Set as Virtual Backbone in Wireless Network
- [46] Backbones for Military Multilayer Wireless Ad Hoc Networks Based on Network Science Concepts
- [47] Applied Graph Theory to Improve Topology Control in Wireless Sensor Networks
- [48] Connected Dominating Set in Sensor Networks
- [49] Local Construction of Connected Dominating Sets in Wireless Ad Hoc Networks
- [50] Customizable Localized Computation of Connected Dominating Sets for Self- Organizing Wireless Networks
- [51] Improving Broadcast Operations in Ad Hoc Networks Using Two-Hop Connected Dominating Sets
- [52] Energy Efficient Distributed Connected Coverage Algorithms with Dynamic Coverage Maintenance in Wireless Sensor Networks
- [53] Improving Route Discovery in On-Demand Routing Protocols Using Two-Hop Connected Dominating Sets
- [54] Paramètre de coloration de graphes et communication dans les réseaux — Mohammed Haddad
- [55] An Energy-Aware Broadcast Scheme based on Connected Dominating Set for Mobile Ad Hoc Networks
- [56] Trade-off Scheme for Fault Tolerant Connected Dominating Sets on Size and Diameter in Wireless Ad-Hoc Networks
- [57] Performance Comparison of Ad Hoc Routing Protocols with Dominating Set Extensions — L.J. Gao, 2007
- [58] Connected Dominating Set in Sensor Networks [and MANETs]

